

## Guide to PreSeed Herbicide Options - 2015

Product Option	Typical Rate	Herbicide Group	Crop Choices	Benefits	Target Weeds	Cautions	Cost/Acre Approx SRP
<b>Glyphosate</b>	Variable rate structure Depends on glyphosate brand, grams a.i., rate, weed type & weed density	9	All Crops	- Simple, low cost - Vary rates to adjust to conditions, weeds, density & life cycle -No residual	Annual grasses Annual broadleaf Non RR-canola	- No vol. RR canola control - Only one MOA - Control may be slow in cool spring - BMP is to mix with an additional MOA for resistance management	Glyphosate 540 g mid-tier product <b>0.5 REL - \$2.12/ac</b> <b>1.0 REL - \$4.25/ac</b>
<b>Glyphosate + Amitrol 240</b>	Glyphosate - 0.5 REL Amitrol 1.7 L/ac label rate lower rates may be adequate for vol. canola control	9, 11	Barley, Canola, Field corn, Field pea, Soybean, Wheat, White bean	- Vol. RR canola control -Control annuals & small dandelions -Amitrol at 1.0 l/ac adequate for seedling RR canola volunteers	Vol RR canola Annual broadleaf Small dandelion Field Horsetail	- Keep glyphosate rate at 0.5 REL -Minimum of 5 GPA water volume -Higher water rates are beneficial -Refer to label for more specifics	Glyphosate cost + <b>\$16.15 for Amitrol</b> at 1.7L/ac
<b>Glyphosate + Authority</b> (sulfentrazone)	Glyphosate: rate variable Authority: 40-53 ac/jug	9, 14	Field peas, Flax, Chickpeas, and Sunflowers	- Residual weed control - Control Grp 2 & 9 Resistant Kochia -Suppression/control of Grp 2 resistant cleavers	Kochia Lambs quarters Redroot Pigweed Wild Buckwheat Cleavers (supp)	- Watch re-cropping restrictions - Requires a 10 mm moisture event within 7-10 days for activation - Reduced efficacy in soils with high OM% and low pH - Soil texture - coarse/sandy soils	Glyphosate Cost + <b>\$14.58 for Authority</b> at 40 ac/jug
<b>Glyphosate + Authority Charge</b> (sulfentrazone + carfentrazone)	Glyphosate: rate variable Authority Charge at 64-80 ac/case Recommended to add surfactant: NIS at 0.25% v/v or Merge at 1% v/v	9, 14, 14	Field peas, Flax, Chickpeas, and Sunflowers	- Control vol. 1-3 leaf RR canola - Control Gr. 2 & 9 resistant kochia - Improved Gr. 2 resistant cleavers - Improved wild buckwheat control	Kochia Lambs quarters Redroot Pigweed Wild Buckwheat Cleavers (supp)	- Watch re-cropping restrictions - Requires a 10 mm moisture event within 7-10 days for activation - Reduced efficacy in soils with high OM% and low pH - Soil texture - coarse/sandy soils - Contact herbicide - prefer 10 GPA	Glyphosate Cost + <b>\$15.94 for Authority Charge</b> at 80 ac/case
<b>CleanStart</b> (carfentrazone)	20-40ac/case (0.5-1.0REL glyphosate + Aim) Recommended to add surfactant: NIS at 0.25% v/v or Merge at 1% v/v	9, 14	All Crops	- Controls 1-3 leaf canola, including RR - Rapid control of annual weeds - No residual to any crop grown	Annual grasses Annual broadleaf RR-canola	- For best control, use 10 gpa water - Best control of volunteer canola is at the 1-2 leaf stage - Aim is a contact herbicide	<b>CleanStart \$7.83</b> at 40 acres/case
<b>Glyphosate + Brotex / Parder</b> (Bromoxynil)	Glyphosate: rate variable Bromoxynil: 0.4 - 0.5 L/ac (4-5 oz a.i.)	9, 6	Wheat, Oats, Barley, Corn, Canola, Canary Seed, Flax, Rye, Forage Grasses	- Vol RR canola control - Improved wild buckwheat control	Annual grasses Annual broadleaf RR-canola Field Horsetail	- For best control, use 10 gpa water - Best control of volunteer canola is at the 1-3 leaf stage - Bromoxynil is a contact herbicide	Glyphosate Cost + <b>\$7.88 for Parder</b> at 0.4L/ac (20ac/jug)
<b>Glyphosate + Logic M / Buctril M</b> (Bromoxynil & MCPA)	Glyphosate: rate variable Bromoxynil & MCPA: 0.2 - 0.4 L/ac (2-4 oz/ac)	9, 6, 4	Wheat, Oats, Barley Canary Seed, Flax, Rye, Forage Grasses	- Vol RR canola control - Improved wild buckwheat control	Annual grasses Annual broadleaf RR-canola Field Horsetail	- For best control, use 10 gpa water - Best control of volunteer canola is at the 1-3 leaf stage - Bromoxynil is a contact herbicide	Glyphosate Cost + <b>\$3.91 for Buctril M</b> at 0.2L/ac (40ac/jug)
<b>Glyphosate + 2,4-D</b>	Glyphosate: rate variable 2,4-D: 0.16- 0.32 L/ac (4-8oz/ac)	9, 4	Wheat, Barley, Rye, Triticale	- Controls all vol. canola, including RR - Enhanced broadleaf control and winter annuals, wild buckwheat	Annual grasses Annual broadleaf RR-canola Field Horsetail	- Rates of 2,4-D will need to increase if canola larger than 2 leaf stage	Glyphosate Cost + <b>\$2.12 for 2,4-D Ester 700</b> (60 ac/ jug - 4 oz)
<b>Glyphosate + MCPA</b>	Glyphosate: rate variable MCPA amine:0.25-0.5L/ac MCPA ester: 0.2-0.4L/ac (4-8 oz/ac)	9, 4	Cereals, Corn*, Flax, Peas*, Lentil*, Chickpea* (*amine only)	- Controls all vol. canola, including RR - Enhanced broadleaf control and winter annuals, wild buckwheat	Annual grasses Annual broadleaf RR-canola Field Horsetail	- Rates of MCPA will need to increase if canola larger than 2 leaf stage	Glyphosate Cost + <b>\$2.12 for MCPA Ester 600</b> (50 ac/ jug - 4 oz/ac)
<b>Glyphosate + Banvel 480</b> (Dicamba)	Glyphosate: rate variable Dicamba: 60 ml/ac (1 oz)	9, 4	Barley, Corn, Oats, Rye, Wheat	- Controls all vol. canola, including RR - Enhanced broadleaf control and winter annuals, wild buckwheat	Annual grasses Annual broadleaf RR-canola	- In front of corn do not use on soil with less than 2.5% OM or sandy soils	Glyphosate Cost + <b>\$2.18 for Dicamba</b> (167 ac/jug - 1 oz/ac)
<b>Glyphosate + Express SG</b> (tribenuron)	Glyphosate: rate variable Express SG: 6 g/ac	9, 2	Wheat, Durum, Winter wheat, Barley, Oats, Canary Seed, Dry Bean, Peas, Soybean, Fababeans, Lupin, Alfalfa, Clover	- Controls all vol. canola, including RR - Improved winter annual control, including Narrow Leaf Hawksbeard Improved control of dandelions	Dandelions Narrowleaved Hawks beard Wild buckwheat White Cockle	- Do not use in front of pulses or legumes, when there is coarse textured (sandy soil) >50% sand and <3% OM%. As well as eroded knolls	Glyphosate Cost + <b>\$3.81 for Express SG</b>
<b>Glyphosate + Express Pro</b> (tribenuron & metsulfuron)	Glyphosate: rate variable Express Pro: 7 g/ac	9, 2, 2	Wheat and Barley	- Controls all vol. canola, including RR - Improved winter annual control, including Narrow Leaf Hawksbeard Improved control of dandelions - Residual control of some annual weeds for about 1-2 weeks	Dandelions Narrowleaved Hawks beard Wild buckwheat White Cockle Cleavers Scentless Chamomile Storksbill	- Refer to label for crop options within one year after application	Glyphosate Cost + <b>\$4.60 for Express Pro</b>

## Guide to PreSeed Herbicide Options - 2015

Glyphosate + <b>HEAT</b> (saflufenacil)	Glyphosate: rate variable Heat: 30-80 ac/bottle (10.5 - 28.1 g/ac) Merge: 0.2 L/ac	9, 14	Barley, Canary seed, Chickpea, Corn, Peas, Oat, Wheat, Lentils*, Soybean, Canary Seed, Soybeans* (*low rate only 10.5 g)	- Rapid desiccation of weeds - Excellent product to manage grp 2 Resistant weeds. - Residual rate at 30-40 ac/jug, but variable based on soil quality	Residual Rate for: Kochia, Cleavers Wild buckwheat Redroot Pigweed Stinkweed, Wild Mustard	- Must use surfactant: Merge 0.2 L/ac or Score 0.4L/ac - Not before any oilseeds - Only 80ac rate before lentils & soybeans	Glyphosate Cost + <b>\$5.39 for HEAT - 80 ac</b> <b>\$9.61 for HEAT - 40 ac</b> <b>\$12.43 for HEAT - 30 ac</b>
Glyphosate + <b>PrePare</b> (flucarbazone)	Glyphosate: rate variable Everest: 8.7 g/ac (66 ac/567 g/ jug) or 15 ml/ac (129 ac/1.940 jug)	9, 2	Wheat (spring, not Durum)	- Residual control of green foxtail, wild oats - Enhanced Japanese, Downy, Foxtail Barley, Barnyard grass with the glyphosate.	Wild oats Green foxtail	- Re-cropping restrictions in some conditions; read label - Add AMS for additional control of Brome Species	Glyphosate Cost + <b>\$11.69 for Everest</b>
<b>PrePass</b> (glyphosate & florasulam)	Glyphosate: 0.5 REL Florasulam: 40 ml/ac (2 g/ac a.i.)	9, 2	Wheat, Barley, Oats	- Controls all vol. canola, including RR - Improved winter annual control, including Narrow Leaf Hawksbeard Improved control of dandelions - Residual control of some annual weeds for 21 days.	Dandelions Narrowleaved Hawksbeard Wild buckwheat Cleavers Scentless Chamomile Storksbill	- Re-cropping restrictions within 10 months	<b>\$6.95 for PrePass</b>
<b>Inferno Duo</b> (flucarbazone & Tribenuron methyl)	Glyphosate: Rate variable Inferno Duo: 12.7 g/ac	9, 2	Wheat (spring, not Durum)	Controls all vol. canola, including RR - Enhanced residual control of wild oats and green foxtail control plus broadleaves - Control of Persian Darnel and Barnyard grass but no residual control	Downy Brome Foxtail barley Wild oats Green foxtail Hempnettle Kochia Narrow-leaved hawks wild buckwheat	Re-cropping restrictions based on soil zone - Do not seed peas or lentils in brown soil zone - No restrictions on canola and barley in all soil zones - Caution: Soil pH above 7.5, organic matter below 4%, rain less than 100 mm	<b>Glyphosate cost + \$8.25 for Inferno Duo</b>
Glyphosate + <b>BlackHawk</b> (carfentrazone + 2,4-D Ester - 5 oz)	Glyphosate: rate variable 80 acres/case Recommended to add surfactant: NIS at 0.25% v/v or Merge at 1% v/v	9, 14, 4	Wheat, Barley, Rye	- Controls 1-3 leaf canola, including RR - Rapid control of annual weeds - Control of Grp 2 & 9 resistant kochia - Spring germinated rosettes	Annual grasses Annual broadleaves RR-canola Spring Dandelions Narrow leaved HB	- For best control, use 10 gpa water - Best control of volunteer canola is at the 1-2 leaf stage - Aim is a contact herbicide	Glyphosate Cost + <b>BlackHawk \$5.61</b> at 80 acres/case
Glyphosate + <b>Ko-Act</b> (tribenuron + 2,4-D Ester - 5 oz)	Glyphosate: rate variable 80 acres/case Recommended to add surfactant:	9, 2, 4	Wheat, Barley, Rye	- Controls 1-3 leaf canola, including RR - Control of Grp 2 & 9 resistant kochia - Controls larger rosettes, winter annuals, larger canola	Annual grasses Annual broadleaves RR-canola Dandelions Narrow leaved HB Hempnettle	- For best control, use 10 gpa water - Best control of volunteer canola is at the 1-2 leaf stage - Aim is a contact herbicide	Glyphosate Cost + <b>Ko-Act \$5.10</b> at 80 acres/case

\*Always refer to the Manufacturer Label

